


BALLY GROUNDWATER CONTAMINATION SITE
OU4 ADMINISTRATIVE RECORD FILE *
INDEX OF DOCUMENTS



SDMS DocID 2050654

I. SITE IDENTIFICATION

1. Memorandum to Mr. Mitch Cron, U.S. EPA, from Ms. Jennifer Hubbard, U.S. EPA, re: Preliminary Evaluation 1,4-Dioxane Concentration, 2/19/03. P. 100001-100022. Undated sampling data is attached.
2. Journal article entitled, "1,4-Dioxane CAS No. 123-91-1," Second Annual Report on Carcinogens, (undated). P. 100023-100025.
3. Packet of miscellaneous background documentation on 1,4-dioxane, (undated). P. 100026-100158. An April 1, 2003 cover memorandum to Mr. Mitch Cron, U.S. EPA, from Ms. Jennifer Hubbard, U.S. EPA, is attached.

II. REMEDIAL ENFORCEMENT PLANNING

1. Emergency Administrative Order on Consent in the Matter of: Sunbeam Products, Inc., Docket No. SDWA-03-2003-0301, 9/30/03. P. 200001-200029. A transmittal letter is attached.
2. Letter to Ms. Joan Johnson and Ms. Lori Kier, U.S. EPA, from Ms. Lorelei Borland, American Household, Inc., re: Emergency administrative order on consent, 10/7/04. P. 200030-200034.

III. REMEDIAL RESPONSE PLANNING

1. Agency for Toxic Substances and Disease Registry (ATSDR) Record of Activity, Bally Groundwater Site, 2/26/03. P. 300001-300003.
2. Letter to Mr. Mitch Cron, U.S. EPA, to Fredrick Foreman, U.S. EPA, re: Organic data validation report, 3/27/03. P. 300004-300020.
3. Letter report to Mr. Mitch Cron, U.S. EPA, from Mr. Thomas Maher and Mr. Kenneth Miller, Civil & Environmental Consultants, Inc., re: Report on initial 1,4-dioxane sampling and analysis results, 4/30/03. P. 300021-300055.
4. Report: Trip Report for the extent of contamination sampling at the Bally Groundwater Site, Bally, Berks County, Pennsylvania, prepared by Tetra Tech EM Inc., 5/21/03. P. 300056-300095. A May 21, 2003 cover letter to Mr. Mitch Cron, U.S. EPA, from Ms. Jeanne Thompson, Tetra Tech EM Inc., is attached.
5. Letter report to Mr. Mitch Cron, U.S. EPA, from Mr. Michael Bedard and Mr. Frank Lenzo, Arcadis G&M, Inc., re: Groundwater Monitoring Report, March 2003 Groundwater Sampling Event, Bally Groundwater Contamination Site, Bally, Pennsylvania, 6/3/03. P. 300096-300125.
6. Report: Data Validation Report, Initial 1,4-Dioxane Analyses, Bally Groundwater Contamination Site, prepared by Environmental Dat Services, LTD., 6/25/03. P. 300126-300196. A July 7, 2003 cover letter to Mr. Mitch Cron, U.S. EPA, from Mr. Thomas Maher and Mr. Kenneth Miller, Civil & Environmental Consultants, Inc., is attached.
7. Letter to Mr. Mitch Cron, U.S. EPA, from Mr. Michael Bedard, Mr. Frank Lenzo, and Dr. Fred Payne, Arcadis G&M, Inc., re: Evaluation of 1,4-dioxane for Bally drinking water supply system, 8/20/03. P. 300197-300201. An undated summary of bench-scale testing analyses for Bally Municipal well no. 3 water, is attached.

8. Letter to Mr. Mitch Cron, U.S. EPA, from Ms. Toni Hemerka, Bally Borough Manager, re: Site issues and concerns, 2/19/04. P. 300202-300203.
9. Letter to Mr. H. Thomas Fridirici, Pennsylvania Department of Environmental Protection (PADEP), from Mr. Peter Millionis, Arcadis G&M, Inc., re: Aquifer pumping test plan, 2/20/04. P. 300204-300209. A January 23, 2004 aerial map is attached.
10. Letter to Mr. Mike Bedard, Arcadis G&M, Inc., from Mr. H. Thomas Fridirici, PADEP, re: Pre-drilling approval and hydrogeologic report requirements, 2/23/04. P. 300210-300211.
11. Letter to Ms. Toni Hemerka, Bally Borough Manager, from Mr. Jeff Peffer, Peffer Geotechnical Corp., re: Review of proposed farm well site, 3/5/04. P. 300212-300218.
12. Letter to Mr. Mike Bedard, Arcadis G&M, Inc., from H. Thomas Fridirici, PADEP, re: Public water supply/borough hydrogeologic report requirements, 4/13/04. P. 300219-300220.
13. Letter to Mr. Thomas Fridirici, PADEP, from Mr. Daniel McCarthy and Mr. Michael Bedard, Arcadis G&M, Inc., re: Preliminary aquifer pumping test results and assessment of plume migration potential for proposed south water supply well, 5/24/04. P. 300221-300231. The following are attached:
 - a) a March 26, 2004 table of monitoring well elevations;
 - b) a March 2004 well location map;
 - c) a March 2004 aquifer pumping test figure;
 - d) a March 2004 well data figure;
 - e) undated well data figures.
14. Letter to Mr. Thomas Fridirici, PADEP, from Mr. Daniel McCarthy and Mr. Michael Bedard, Arcadis G&M, Inc., re: Response to comments on proposed Bally water supply well, 5/27/04. P. 300232-300234.

15. Report: Focused Feasibility Study Work Plan, Bally Groundwater Contamination Superfund Site, Bally Borough, Berks County, Pennsylvania, prepared by Arcadis G&M, Inc., 5/20/04. P. 300235-300263. The following are attached:
- a) a March 12, 2004 letter to Mr. Mitch Cron, U.S. EPA, from Mr. Michael Bedard and Mr. Frank Lenzo, Arcadis G&M, Inc., regarding the response to U.S. EPA Focused Feasibility Workplan comments;
 - b) an April, 21, 2004 letter to Mr. Ron Gahagan, American Household Inc., from Mr. Mitch Cron, U.S. EPA, regarding comments on the Focused Feasibility Study Workplan;
 - c) a May 20, 2004 Focused Feasibility Study Workplan schedule;
 - d) a May 27, 2004 cover letter to Mr. Ron Gahagan, American Household Inc., from Mr. Mitch Cron, U.S. EPA.
16. Letter to Ms. Toni Hemerka, Bally Borough Manager, from Mr. Jeff Pepper, Pepper Geotechnical Corp., re: Review of 5/25/04 Arcadis letter/report on preliminary pumping test, 6/10/04. P. 300264-300268. A May 2004 site map and a facsimile transmittal memorandum to Mr. Mitch Cron, U.S. EPA, from Mr. Jeff Pepper, Pepper Geotechnical Corp., regarding the attachment to 6/10/04 letter, are attached.
17. Letter to Mr. Mike Bedard, Arcadis G&M, Inc., from Mr. H. Thomas Fridirici, PADEP, re: Public water supply and hydrogeologic requirements, 6/24/04. P. 300269-300270.
18. Letter to Mr. Mike Bedard, Arcadis G&M, Inc., from Mr. H. Thomas Fridirici, PADEP, re: Hydrogeologic report requirements, 6/26/04. P. 300271-300272.
19. Letter to Mr. H. Thomas Fridirici, PADEP, from Mr. Michael Bedard, Arcadis G&M, Inc., re: Pre-drilling plan addendum, 8/2/04. P. 300273-300285. Tables 1-3, figure 2 and drawing 1 are attached.

20. Letter to Mr. H. Thomas Fridirici, PADEP, from Mr. Michael Bedard, Arcadis G&M, Inc., re: Pre-drilling plan addendum response to email comments, 8/11/04. P. 300286-300289. An August 12, 2004 proposed well construction diagram is attached.
21. Authorization to Discharge under the National Pollutant Discharge Elimination System - NPDES Permit No. PA 0055123, granted to Sunbeam Products, Inc., issued by James Spontak, PADEP, 1/24/05. P. 300290-300313. A cover letter to Ms. Chris Gahagan, Sunbeam Products, Inc., from Mr. James Spontak, PADEP, is attached.
22. Letter to Mr. H. Thomas Fridirici, PADEP, from Mr. Michael Bedard, Arcadis G&M, Inc., re: Pre-drilling plan addendum, 5/10/05. P. 300314-300319. A January 25, 2005 proposed well location map and an April 9, 2005 geologic map are attached.
23. Letter to Mr. Mike Bedard, Arcadis G&M, Inc., from Mr. H. Thomas Fridirici, PADEP, re: Pre-drilling approval and hydrogeologic report requirements, 7/13/05. P. 300320-300321.
24. Letter to Mr. H. Thomas Fridirici, PADEP, from Mr. Christopher Sharpe and Mr. Edward Schmidley, Arcadis G&M, Inc., re: Aquifer pumping test plan, 8/17/05. P. 300322-300329. An August 15, 2005 proposed well location map and a monitored location map are attached.
25. Letter to Ms. Toni Hemerka, Bally Borough Manager, and Mr. Greg Unger, Systems Design Engineering, Inc., from Mr. Jeff Peffer, Peffer Geotechnical Corp., re: Proposed pumping test of a new well on the property as a replacement for Bally well #3, 9/1/05. P. 300330-300331.
26. Letter to Ms. Chris Gahagan, Enlibra LLC, from Mr. Mitch Cron, U.S. EPA, re: Comment regarding aquifer pumping test plan, 9/19/05. P. 300332-300333.
27. Letter to Ms. Toni Hemerka, Bally Borough Manager, from Mr. Christopher Sharpe, and Michael Bedard, Arcadis G&M, Inc., re: Comments on new well option, 8/22/05. P. Table 1 and a map are attached.

V. COMMUNITY INVOLVEMENT/CONGRESSIONAL CORRESPONDENCE/IMAGERY

1. Newspaper article entitled, "Water treatment system in Bally being evaluated," Reading Eagle, 3/15/03. P.500001-500001.
2. Newspaper article entitled, "EPA Says Bally Water Contaminated," Hearthstone Press, 3/18/03. P. 500002-500003.
3. Newspaper article entitled, "EPA finds hazardous solvent in Bally drinking supply," Allentown Morning Call, 3/18/03. P. 500004-500005.
4. U.S. EPA Public Notice, Bally Groundwater Contamination Superfund Site, re: Invitation to Attend Information Meeting about Bally Groundwater Contamination Superfund Site Cleanup, 3/19/03. P. 500006-500006.
5. Newspaper article entitled, "Company in Bally supplies water," Reading Eagle, 3/20/03. P. 500007-500008.
6. Newspaper article entitled, "Official says long-term cancer risk concern of Bally water contamination," Pottstown Mercury, 3/20/03. P. 500009-500009.
7. Newspaper article entitled, "New problem found in Bally water supply," Boyertown Times, 3/20/03. P. 500010-500010.
8. Newspaper article entitled, "In Bally, customers accepting free water," Reading Eagle, 4/5/03. P. 500011-500012.
9. Newspaper article entitled, "Plans for new well in Bally will allow for borough growth," Pottstown Mercury, 4/15/03. P. 500013-500013.
10. U.S. EPA Fact Sheet: Bally Ground Water Contamination Site, entitled, "Bally Borough Water Supply System Evaluation Update," 5/03. P. 500014-500017.
11. U.S. EPA Fact Sheet: Bally Ground Water Contamination Site, entitled, "Bally Borough Water Supply System Evaluation Update," 8/03. P. 500018-500021.

12. U.S. EPA Fact Sheet: Bally Ground Water Contamination Site, entitled, "Cleanup Update," 1/04. P. 500022-500023.
13. Newspaper article entitled, "Bally may see new water source within a year, officials say," Allentown Morning Call, 4/11/04. P. 500024-500025.
14. U.S. EPA Fact Sheet: Bally Ground Water Contamination Site, entitled, "Cleanup Update," 12/04. P. 500026-500027.
15. U.S. EPA Fact Sheet: Bally Ground Water Contamination Site, entitled, "Cleanup Update," (undated). P. 500028-500032. A March 13, 2003 letter to the Washington Elementary School, from Mr. Charles Amuso, Boyertown Area School District, regarding a presentation about the Bally Borough water supply and a March 13, 2003 letter to Bally Borough residents from Ms. Toni Hemerka, Bally Borough Manager, regarding the newly-discovered contaminant in the borough water supply, are attached.